



400+
SUMMER TIRE SIZES

WHO ARE WE

Winrun Tyre Co.,Ltd. is located in Guangzhou, China, a city which next to HongKong. WINRUN is a tyre supplier of PCR, UHP, 4X4, SUV, LTR fields, specializing in UHP field with the most complete special size range in China.

Winrun Tyre Co.,Ltd. owns 2 brands: WINRUN and ROADCLAW. Each targets different markets and fields. We do believe that different people have different ways of thinking. So we always work together with our agents for new size development to fulfill all special requirements.

We wish our products and professional service would keep you doing business with Winrun with satisfaction.



www.wrttyrb.com

GO HARD *or* GO HOME



2008
WINRUN CHINA



2017
WINRUN GERMANY



2018
WINRUN THAILAND



2022
WINRUN USA





The real german tyres and the real GERMAN QUALITY TYRES



Made in
GERMANY



R330+



Handling



Safety



Comfort



Silence

MANY GERMAN



Made
In 
Germany

INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
18	55	255/55R18	109V XL	8.0	8.0J	420 A A
	50	* 245/50ZR18	104W XL	8.0	7.5J	420 A A
	45	245/45ZR18	100W XL	8.0	8J	420 A A
		255/45ZR18	103W XL	8.0	8.5J	420 A A
19	55	* 235/55ZR19	101W	8.0	7.5J	420 A A
		* 255/55ZR19	111W XL	8.0	8J	420 A A
		255/50ZR19	107W XL	8.0	8J	420 A A
		265/50ZR19	110W XL	8.0	8.5J	420 A A
	50	245/45ZR19	102W XL	8.0	8J	420 A A
		255/45ZR19	104W XL	8.0	8.5J	420 A A
	45	* 235/40ZR19	96W XL	8.0	8.5J	420 A A
		245/40ZR19	98W XL	8.0	8.5J	420 A A
		255/40ZR19	100W XL	8.0	9J	420 A A
		275/40ZR19	105W XL	8.0	9.5J	420 A A
	35	* 255/35ZR19	96W XL	8.0	9J	420 A A
		* 265/35ZR19	98W XL	8.0	9.5J	420 A A
		275/35ZR19	100W XL	8.0	9.5J	420 A A
		* 255/50ZR20	109W	8.0	8J	420 A A
20	50	275/50ZR20	113W	8.0	8.5J	420 A A
		245/45ZR20	103W	8.0	9J	420 A A
		255/45ZR20	105W	8.0	8.5J	420 A A
		* 265/45ZR20	108W	8.0	9J	420 A A
	45	275/45ZR20	110W	8.0	9J	420 A A
		* 285/45ZR20	112W	8.0	9.5J	420 A A
		245/40ZR20	99W XL	8.0	8.5J	420 A A
		* 255/40ZR20	101W	8.0	9J	420 A A
	40	275/40ZR20	106W	8.0	9.5J	420 A A
		* 295/40ZR20	110W	8.0	9.5J	420 A A
		* 275/35ZR20	102W	8.0	9.5J	420 A A
		* 285/35ZR20	104W	8.0	10J	420 A A
	35	* 295/35ZR20	105W	8.0	10.5J	420 A A
		315/35ZR20	110W	8.0	11J	420 A A



R330+

• Excellent driving experience on wet and dry roads with perfect handling





R380

- Asymmetric PCR pattern
- Advanced silica compound
- Anti-skidding design for main grooves
- Improve braking distance and reduce driving noise
- Excellent performance in wet & dry handling

INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG	
13	80	155/80R13	79T	7.2	4.5J	420 A A	
		* 145/70R13	71T	7.2	4.5J	420 A A	
	70	155/70R13	77T	7.2	4.5J	420 A A	
		165/70R13	79T	7.2	5J	420 A A	
		175/70R13	82T	7.2	5J	420 A A	
		185/70R13	86T	7.2	5.5J	420 A A	
	65	* 155/65R13	73T	7.2	4.5J	420 A A	
		165/65R13	77T	7.2	5J	420 A A	
	60	175/60R13	77H	7.2	5J	420 A A	
		165/70R14	81T	7.2	5J	420 A A	
	14	70	165/70R14	85T XL	7.2	5J	420 A A
			175/70R14	84T	7.2	5J	420 A A
175/70R14			88T XL	7.2	5J	420 A A	
185/70R14			88T	7.2	5.5J	420 A A	
65		195/70R14	91T	7.2	6J	420 A A	
		155/65R14	75T	7.2	4.5J	420 A A	
		165/65R14	79T	7.2	5J	420 A A	
		165/65R14	83T XL	7.2	5J	420 A A	
		175/65R14	82T	7.2	5J	420 A A	
		175/65R14	86T XL	7.2	5J	420 A A	
60		185/65R14	86T	7.2	5.5J	420 A A	
		185/65R14	86H	7.2	5.5J	420 A A	
	* 195/65R14	89H	7.2	6J	420 A A		
	165/60R14	75H	7.2	5J	420 A A		
	185/60R14	82H	7.2	5.5J	420 A A		
	* 195/60R14	86H	7.2	6J	420 A A		
15	55	205/60R14	88H	7.2	6J	420 A A	
		185/55R14	80H	7.2	6J	420 A A	
	70	205/70R15	96H	7.5	6J	420 A A	
		175/65R15	84H	7.2	5J	420 A A	
	65	185/65R15	88H	7.2	5J	420 A A	
		195/65R15	91H	7.5	6J	420 A A	
		195/65R15	91V	7.5	6J	420 A A	
		195/65R15	95T XL	7.5	6J	420 A A	
		205/65R15	94H	7.5	6J	420 A A	
		205/65R15	94V	7.5	6J	420 A A	
	16	60	* 215/65R15	96H	7.5	6.5J	420 A A
			* 215/65R15	100H XL	7.5	6.5J	420 A A
175/60R15			81H	7.2	5J	420 A A	
185/60R15			84H	7.2	5.5J	420 A A	
185/60R15			88H XL	7.2	5.5J	420 A A	
195/60R15			88V	7.5	6J	420 A A	
55		205/60R15	91V	7.5	6J	420 A A	
		* 175/55R15	77T	7.2	5.5J	420 A A	
		65	205/65R16	95H	7.5	6J	420 A A
			215/65R16	98H	7.5	6.5J	420 A A
		60	195/60R16	89H	7.5	6J	420 A A
			205/60R16	92H	7.5	6J	420 A A
17	60	205/60R16	96V XL	7.5	6J	420 A A	
		215/60R16	95H	7.5	6.5J	420 A A	
		* 215/60R16	99H XL	7.5	6.5J	420 A A	
		225/60R16	98H	7.5	6.5J	420 A A	
	60	215/60R17	96V	7.5	6.5J	420 A A	
		225/60R17	99V	7.5	6.5J	420 A A	
		235/60R17	102H	8.0	7J	420 A A	
		225/60R18	104V XL	8.0	6.5J	420 A A	
	18	60	235/60R18	107V XL	8.0	7J	420 A A



R330

- Asymmetric UHP pattern
- Advanced silica compound
- Anti-skidding design for main grooves
- Improve braking distance and reduce driving noise
- Excellent performance in wet & dry handling

INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
15	55	185/55R15	82V	7.5	6J	420 A A
		195/55R15	85V	7.5	6J	420 A A
		195/50R15	82V	7.5	6J	420 A A
		205/50R15	86V	7.5	6.5J	420 A A
		195/45R15	78V	7.5	6.5J	420 A A
	45	185/55R16	83H	7.5	6J	420 A A
		195/55R16	87V	7.5	6J	420 A A
		205/55R16	91V	7.5	6.5J	420 A A
		205/55ZR16	91W	7.5	6.5J	420 A A
		205/55ZR16	94W XL	7.5	6.5J	420 A A
16	55	215/55ZR16	93W	7.5	7J	420 A A
		215/55ZR16	97W XL	7.5	7J	420 A A
		225/55ZR16	95W	7.5	7J	420 A A
		225/55ZR16	99W XL	7.5	7J	420 A A
		195/50R16	88V XL	7.5	6J	420 A A
	50	205/50ZR16	87W	7.5	6.5J	420 A A
		225/50R16	92V	7.5	7J	420 A A
		225/50ZR16	96W XL	7.5	7J	420 A A
		195/45R16	84V XL	7.5	6.5J	420 A A
		205/45ZR16	83W	7.5	7J	420 A A
	45	205/45ZR16	87W XL	7.5	7J	420 A A
		215/45R16	90V XL	7.5	7J	420 A A
		205/40R16	83V XL	7.5	7.5J	420 A A
		215/40ZR16	86W XL	7.5	7.5J	420 A A
		205/55ZR17	95W XL	7.5	6.5J	420 A A
17	55	215/55ZR17	98W XL	7.5	7J	420 A A
		225/55R17	101V XL	7.5	7J	420 A A
		225/55ZR17	101WXL	7.5	7J	420 A A
		235/55ZR17	103WXL	7.5	7.5J	420 A A
		205/50ZR17	93W XL	7.5	6.5J	420 A A
	50	215/50ZR17	95W XL	7.5	7J	420 A A
		225/50ZR17	98W XL	7.5	7J	420 A A
		235/50ZR17	96W	7.5	7J	420 A A
		235/50ZR17	100W XL	7.5	7J	420 A A
		195/45ZR17	85W XL	7.5	6.5J	420 A A
	45	205/45ZR17	88W XL	7.5	7J	420 A A
		215/45ZR17	91W XL	7.5	7J	420 A A
		225/45ZR17	94W XL	7.5	7.5J	420 A A
		235/45ZR17	97W XL	7.5	8J	420 A A
		245/45ZR17	95W	7.5	8J	420 A A
18	55	195/40ZR17	81W XL	7.5	7J	420 A A
		205/40ZR17	84W XL	7.5	7.5J	420 A A
		215/40ZR17	87W XL	7.5	7.5J	420 A A
		245/40ZR17	91W	7.5	8.5J	420 A A
		245/40ZR17	95W XL	7.5	8.5J	420 A A
	50	255/40ZR17	94W	7.5	9J	420 A A
		215/55R18	95V	7.5	7J	420 A A
		225/55R18	98V	7.5	7J	420 A A
		235/55R18	104V XL	8.0	7.5J	420 A A
		235/55ZR18	100W	8.0	7.5J	420 A A
18	50	225/50ZR18	95W	7.5	7J	420 A A
		235/50ZR18	101W XL	7.5	7J	420 A A
		245/50ZR18	104W XL	7.5	7.5J	420 A A
		215/45ZR18	93W XL	7.5	7J	420 A A
		225/45ZR18	91W	7.5	7.5J	420 A A
	45	225/45ZR18	95W XL	7.5	7.5J	420 A A
		235/45ZR18	98W XL	7.5	8J	420 A A

INCH	SERIES	SIZE	L/ISI	TREAD DEPTH (mm)	STANDARD RM	UTQG
18	45	245/45R18	100V XL	7.5	8J	420 A A
		245/45ZR18	100W XL	7.5	8J	420 A A
		255/45ZR18	103W XL	7.5	8.5J	420 A A
		275/45ZR18	107W XL	7.5	9J	420 A A
		215/40ZR18	89W XL	7.5	7.5J	420 A A
		225/40ZR18	92W XL	7.5	8J	420 A A
	40	235/40ZR18	95W XL	7.5	8.5J	420 A A
		245/40ZR18	97W XL	7.5	8.5J	420 A A
		255/40ZR18	99W XL	7.5	9J	420 A A
		* 265/40ZR18	101W XL	7.5	9.5J	420 A A
		275/40ZR18	103W XL	7.5	9.5J	420 A A
		215/35ZR18	84W XL	7.5	7.5J	420 A A
	35	* 225/35ZR18	87W XL	7.5	8J	420 A A
		* 245/35ZR18	92W XL	7.5	8.5J	420 A A
		255/35ZR18	94W XL	7.5	9J	420 A A
		265/35ZR18	97W XL	7.5	9.5J	420 A A
		275/35ZR18	99W XL	7.5	9.5J	420 A A
		* 285/35ZR18	101W XL	7.5	10J	420 A A
19	55	225/55R19	99W	8.0	7J	420 A A
		235/55ZR19	101W	8.0	7.5J	420 A A
		255/55ZR19	111W XL	8.0	8J	420 A A
		275/55ZR19	111W	8.0	8.5J	420 A A
		* 235/50ZR19	103W XL	7.5	7.5J	421 A A
		255/50ZR19	107W XL	8.0	8J	420 A A
	50	265/50ZR19	110W XL	8.0	8.5J	420 A A
		225/45ZR19	96W XL	7.5	7.5J	420 A A
		235/45ZR19	99W XL	7.5	8J	420 A A
		245/45ZR19	102W XL	7.5	8J	420 A A
		255/45ZR19	104W XL	7.5	8.5J	420 A A
		* 265/45ZR19	105W XL	8.0	9J	420 A A
	45	* 285/45ZR19	111W XL	8.0	9.5J	420 A A
		225/40ZR19	93W XL	7.5	8J	420 A A
		235/40ZR19	96W XL	7.5	8.5J	420 A A
		245/40ZR19	98W XL	7.5	8.5J	420 A A
		255/40ZR19	100W XL	7.5	9J	420 A A
		* 265/40ZR19	102W XL	7.5	9.5J	420 A A
	40	275/40ZR19	105W XL	7.5	9.5J	420 A A
		* 295/40ZR19	108W XL	8.0	10.5J	420 A A
		215/35ZR19	85W XL	7.5	7.5J	420 A A
		225/35ZR19	88W XL	7.5	8J	420 A A
		235/35ZR19	91W XL	7.5	8.5J	420 A A
		245/35ZR19	93W XL	7.5	8.5J	420 A A
	35	255/35ZR19	96W XL	7.5	9J	420 A A
		265/35ZR19	98W XL	7.5	9.5J	420 A A
		275/35ZR19	100W XL	7.5	9.5J	420 A A
		* 285/35ZR19	103W XL	7.5	10J	420 A A
		* 295/35ZR19	104W XL	7.5	10.5J	420 A A
		255/30ZR19	91W XL	7.5	9J	420 A A
	30	265/30ZR19	93W XL	7.5	9.5J	420 A A
		275/30ZR19	96W XL	7.5	9.5J	420 A A
		* 285/30ZR19	98W XL	7.5	10J	420 A A
		295/30ZR19	100W XL	7.5	10.5J	420 A A
		305/30ZR19	103W XL	7.5	11J	420 A A
		315/30ZR19	106W XL	7.5	11J	420 A A
20	50	225/50ZR20	107W XL	8.0	8J	420 A A
		235/50ZR20	110W XL	8.0	8.5J	420 A A
		245/50ZR20	113W XL	8.0	9J	420 A A
		* 265/50ZR20	116W XL	8.0	9.5J	420 A A
		275/50ZR20	119W XL	8.0	10J	420 A A
		285/50ZR20	122W XL	8.0	10.5J	420 A A
	45	225/45ZR20	96W XL	7.5	7.5J	420 A A
		235/45ZR20	99W XL	7.5	8J	420 A A
		245/45ZR20	102W XL	7.5	8J	420 A A
		255/45ZR20	105W XL	7.5	8.5J	420 A A
		265/45ZR20	108W XL	7.5	9J	420 A A
		* 275/45ZR20	111W XL	7.5	9.5J	420 A A
	40	225/40ZR20	95W XL	7.5	8J	420 A A
		235/40ZR20	98W XL	7.5	8.5J	420 A A
		245/40ZR20	101W XL	7.5	8.5J	420 A A
		255/40ZR20	104W XL	7.5	9J	420 A A
		265/40ZR20	107W XL	7.5	9.5J	420 A A
		* 275/40ZR20	110W XL	7.5	10J	420 A A
	35	225/35ZR20	94W XL	7.5	9J	420 A A
		235/35ZR20	97W XL	7.5	9.5J	420 A A
		245/35ZR20	100W XL	7.5	9.5J	420 A A
		255/35ZR20	103W XL	7.5	10J	420 A A
		265/35ZR20	106W XL	7.5	10.5J	420 A A
		* 275/35ZR20	109W XL	7.5	11J	420 A A
21	50	225/50ZR21	107W XL	8.0	8J	420 A A
		235/50ZR21	110W XL	8.0	8.5J	420 A A
		245/50ZR21	113W XL	8.0	9J	420 A A
		* 265/50ZR21	116W XL	8.0	9.5J	420 A A
		275/50ZR21	119W XL	8.0	10J	420 A A
		285/50ZR21	122W XL	8.0	10.5J	420 A A
	45	225/45ZR21	96W XL	7.5	7.5J	420 A A
		235/45ZR21	99W XL	7.5	8J	420 A A
		245/45ZR21	102W XL	7.5	8J	420 A A
		255/45ZR21	105W XL	7.5	8.5J	420 A A
		265/45ZR21	108W XL	7.5	9J	420 A A
		* 275/45ZR21	111W XL	7.5	9.5J	420 A A
	40	225/40ZR21	95W XL	7.5	8J	420 A A
		235/40ZR21	98W XL	7.5	8.5J	420 A A
		245/40ZR21	101W XL	7.5	8.5J	420 A A
		255/40ZR21	104W XL	7.5	9J	420 A A
		265/40ZR21	107W XL	7.5	9.5J	420 A A
		* 275/40ZR21	110W XL	7.5	10J	420 A A
	35	225/35ZR21	94W XL	7.5	9J	420 A A
		235/35ZR21	97W XL	7.5	9.5J	420 A A
		245/35ZR21	100W XL	7.5	9.5J	420 A A
		255/35ZR21	103W XL	7.5	10J	420 A A
		265/35ZR21	106W XL	7.5	10.5J	420 A A
		* 275/35ZR21	109W XL	7.5	11J	420 A A
22	50	225/50ZR22	107W XL	8.0	8J	420 A A
		235/50ZR22	110W XL	8.0	8.5J	420 A A
		245/50ZR22	113W XL	8.0	9J	420 A A
		* 265/50ZR22	116W XL	8.0	9.5J	420 A A
		275/50ZR22	119W XL	8.0	10J	420 A A
		285/50ZR22	122W XL	8.0	10.5J	420 A A
	45	225/45ZR22	96W XL	7.5	7.5J	420 A A
		235/45ZR22	99W XL	7.5	8J	420 A A
		245/45ZR22	102W XL	7.5	8J	420 A A
		255/45ZR22	105W XL	7.5	8.5J	420 A A
		265/45ZR22	108W XL	7.5	9J	420 A A
		* 275/45ZR22	111W XL	7.5	9.5J	420 A A
	40	225/40ZR22	95W XL	7.5	8J	420 A A
		235/40ZR22	98W XL	7.5	8.5J	420 A A
		245/40ZR22	101W XL	7.5	8.5J	420 A A
		255/40ZR22	104W XL	7.5	9J	420 A A
		265/40ZR22	107W XL	7.5	9.5J	420 A A
		* 275/40ZR22	110W XL	7.5	10J	420 A A
	35	225/35ZR22	94W XL	7.5	9J	420 A A
		235/35ZR22	97W XL	7.5	9.5J	420 A A
		245/35ZR22	100W XL	7.5	9.5J	420 A A
		255/35ZR22	103W XL	7.5	10J	420 A A
		265/35ZR22	106W XL	7.5	10.5J	420 A A
		* 275/35ZR22	109W XL	7.5	11J	420 A A



INCH	SERIES	SIZE	L/ISI	TREAD DEPTH (mm)	STANDARD RM	UTQG
20	50	* 235/45ZR20	100W XL	7.5	8J	420 A A
		245/45ZR20	103W XL	7.5	9J	420 A A
		255/45ZR20	105W XL	7.5	8.5J	420 A A
		265/45ZR20	108W XL	8.0	9J	420 A A
		275/45ZR20	110W XL	8.0	9J	420 A A
		285/45ZR20	112W XL	8.0	9.5J	420 A A
	40	245/40ZR20	99W XL	7.5	8.5J	420 A A
		255/40ZR20	101W XL	7.5	9J	420 A A
		* 265/40ZR20	104W XL	7.5	9.5J	420 A A
		275/40ZR20	106W XL	7.5	9.5J	420 A A
		295/40ZR20	110W XL	8.0	10.5J	420 A A
		225/35ZR20	90W XL	7.5	8J	420 A A
	35	225/35ZR20	93W XL	7.5	8J	420 A A
		235/35ZR20	92W XL	7.5	8.5J	420 A A
		245/35ZR20	95W XL	7.5	8.5J	420 A A
		255/35ZR20	102W XL	7.5	9J	420 A A
		* 265/35ZR20	99W XL	7.5	9.5J	420 A A
		275/35ZR20	102W XL	7.5	9.5J	420 A A
	30	285/35ZR20	104W XL	7.5	10J	420 A A
		295/35ZR20	105W XL	7.5	10.5J	420 A A
		* 305/35ZR20	107W XL	7.5	11J	420 A A
		315/35ZR20	110W XL	7.5	11J	420 A A
		225/30ZR20	85W XL	7.5	8J	420 A A
		235/30ZR20	88W XL	7.5	8.5J	420 A A
245/30ZR20		90W XL	7.5	8.5J	420 A A	
245/30ZR20		95Y XL	7.5	8.5J	420 A A	
255/30ZR20		92W XL	7.5	9J	420 A A	
275/30ZR20		97W XL	7.5	9.5J	420 A A	
* 285/30ZR20		99W XL	7.5	10J	420 A A	
295/30ZR20		101W XL	7.5	10.5J	420 A A	
21	50	305/30ZR20	103W XL	7.5	11J	420 A A
		275/50ZR21	113W XL	8.0	8.5J	420 A A
	45	265/45ZR21	104W XL	8.0	9J	420 A A
		275/45ZR21	110W XL	8.0	9J	420 A A
	40	* 265/40ZR21	105W XL	8.0	9.5J	420 A A
		* 285/40ZR21	109W XL	8.0	10J	420 A A
	35	295/40ZR21	111W XL	8.0	10.5J	420 A A
		245/35ZR21	96W XL	7.5	8.5J	420 A A
		* 275/35ZR21	103W XL	7.5	9.5J	420 A A
		* 285/35ZR21	105W XL	8.0	10J	420 A A
		295/35ZR21	107W XL	8.0	10.5J	420 A A
		* 275/30ZR21	98W XL	7.5	9.5J	420 A A
30	285/30ZR21	100W XL	7.5	10J	420 A A	
	* 325/30ZR21	108W XL	8.0	11.5J	420 A A	
22	45	* 275/45ZR22	112W XL	8.0	9.5J	420 A A
		285/45ZR22	114V XL	8.0	9.5J	420 A A
	40	* 265/40ZR22	106W XL	8.0	9.5J	420 A A
		275/40ZR22	107W XL	8.0	9.5J	420 A A
	35	285/40ZR22	110W XL	8.0	10J	420 A A
		* 265/35ZR22	102W XL	7.5	9.5J	420 A A
	30	285/35ZR22	106W XL	7.5	10J	420 A A
		* 245/30ZR22	95W XL	7.5	8.5J	420 A A
	25	265/30ZR22	97W XL	7.5	9.5J	420 A A
		* 295/30ZR22	103W XL	7.5	10.5J	420 A A



RUN-FLAT SIZES



R330
UHP-RUNFLAT

Self Supporting Technology

- WINRUN RunFlat Technology allows continuous driving for up to 80km after the tyre burst, or having a puncture. RunFlat tires use reinforced sidewalls, which enable the tyre to maintain mobility after a complete loss of air pressure.
- WINRUN RunFlat tires should only be mounted on cars that are designed for runflat tyres and equipped with a fully operating tire pressure warning device, such as WINRUN WARNAIR. A maximum distance of 80km/50 miles and maximum speed of 80 kmh/50 mph should not be exceeded. Please refer to your car's instruction manual and follow manufacturer's advice for installation.



INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
16	55	195/55RF16	87V	7.5	6J	420 A A
	55	205/55RF16	91V	7.5	6.5J	420 A A
17	50	225/50ZRF17	89W	7.5	6.5J	420 A A
	50	225/50ZRF17	94W	7.5	7J	420 A A
	45	205/45RF17	84V	7.5	7J	420 A A
	45	225/45ZRF17	91W	7.5	7.5J	420 A A
18	55	* 255/55RF18	109H XL	8.0	8J	420 A A
	50	* 225/50ZRF18	95W	7.5	7J	420 A A
	50	245/50ZRF18	100W	7.5	7.5J	420 A A
	45	225/45ZRF18	91W	7.5	7.5J	420 A A
	45	245/45ZRF18	96W	7.5	8J	420 A A
	40	225/40ZRF18	88W	7.5	8J	420 A A
	40	245/40ZRF18	93W	7.5	8.5J	420 A A
	35	255/40ZRF18	95W	7.5	9J	420 A A
	35	* 275/40ZRF18	99W	7.5	9.5J	420 A A
	35	* 255/35ZRF18	90W	7.5	9J	420 A A
19	50	255/50RF19	107V XL	8.0	8J	420 A A
	45	* 225/45ZRF19	92W	7.5	7.5J	420 A A
	45	245/45ZRF19	98W	7.5	8J	420 A A
	40	* 225/40ZRF19	89W	7.5	8J	420 A A
	40	245/40ZRF19	94W	7.5	8.5J	420 A A
	40	* 255/40ZRF19	96W	7.5	9J	420 A A
	35	275/40ZRF19	101W	7.5	9.5J	420 A A
	35	* 255/35ZRF19	92W	7.5	9J	420 A A
	35	275/35ZRF19	96W	7.5	9J	420 A A
	40	245/40ZRF20	99W XL	7.5	8.5J	420 A A
20	40	275/40ZRF20	106W XL	7.5	9.5J	420 A A
	35	* 245/35ZRF20	95W XL	7.5	8.5J	420 A A
	35	275/35ZRF20	102W XL	7.5	9.5J	420 A A
	30	315/35ZRF20	110W XL	7.5	11J	420 A A
	30	* 275/30ZRF20	97W XL	7.5	9.5J	420 A A

R350

- Advanced low noise light truck pattern
- Extra strong shoulder and sidewall design improve the carrying capacity
- Advanced silica compound
- Excellent performance in wet & dry handling



INCH	SIZE	LI/SI	PR	TYPE	TREAD DEPTH (mm)	STANDARD RIM
13	*165R13C	91/89R	6	T/L	8.0	4.5J
	185R14C	102/100R	8	T/L	8.7	5.5J
	195R14C	106/104R	8	T/L	8.7	5.5J
	205R14C	109/107R	8	T/L	8.7	6J
14	*165/70R14C	89/87R	6	T/L	8.0	5J
	*175/70R14C	95/93T	6	T/L	8.0	5J
	175/65R14C	90/88T	6	T/L	8.0	5J
	195R15C	107/105N	8	T/L	8.7	5.5J
	195/70R15C	104/102R	8	T/L	8.7	6J
	205/70R15C	106/104R	8	T/L	8.7	6J
15	215/70R15C	109/107R	8	T/L	8.7	6.5J
	225/70R15C	112/110R	8	T/L	8.7	6.5J
	205/65R15C	102/100T	6	T/L	8.7	6J
	215/65R15C	104/102R	6	T/L	8.7	6.5
	*195/60R16C	99/97H	6	T/L	8.7	6J
	*215/60R16C	108/106T	8	T/L	8.7	6.5J
	195/65R16C	100/98T	6	T/L	8.7	6J
	195/65R16C	104/102T	8	T/L	8.7	6J
	205/65R16C	107/105T	8	T/L	8.7	6J
	215/65R16C	106/104R	6	T/L	8.7	6.5J
16	215/65R16C	109/107R	8	T/L	8.7	6.5J
	225/65R16C	112/110R	8	T/L	8.7	6.5J
	235/65R16C	115/113T	8	T/L	8.7	7J
	215/70R16C	108/106T	6	T/L	8.7	6.5J
	185/75R16C	104/102R	8	T/L	8.7	5J
	195/75R16C	107/105R	8	T/L	8.7	5.5J
	205/75R16C	110/108R	8	T/L	8.7	5.5J
	215/75R16C	113/111R	8	T/L	8.7	6J
	215/75R16C	116/114R	10	T/L	8.7	6J
	225/75R16C	121/120R	10	T/L	9.5	6J

Available in 2018/2019



MAXCLAW H/T2

- 3 centric ribs design provides excellent performance on wet and dry roads
- Big and wide tread for tires shoulder
- 4 main grooves enable extra drainage
- Wide-tread design offers extra contact area

INCH	SERIES	SIZE	L/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG	
15	75	235/75R15	109T XL	8.5	6.5J	500 A A	
		* LT235/75R15C	104/101S	9.2	6.5J	—	
16	60	235/60R16	100H	8.5	7J	500 A A	
		* 215/70R16	100T	8.5	6.5J	500 A A	
		* 225/70R16	103T	8.5	6.5J	500 A A	
	70		235/70R16	106T	8.5	7J	500 A A
			245/70R16	111T XL	8.5	7J	500 A A
			255/70R16	111T	8.5	7.5J	500 A A
			265/70R16	112T	8.5	8J	500 A A
			275/70R16	114T	8.5	8J	500 A A
		LT225/75R16 E	115/112S	9.2	6J	—	
		LT245/75R16 E	120/116S	9.2	7J	—	
	75	* LT265/75R16 E	123/120S	10.5	7.5J	—	
		* 245/75R16	111T	8.5	7J	500 A A	
		* 265/75R16	116T	8.5	7.5J	500 A A	
	17	60	255/60R17	106H	8.5	7.5J	500 A A
		225/65R17	102T	8.5	6.5J	500 A A	
65			235/65R17	108V XL	8.5	7J	500 A A
			245/65R17	111T XL	8.5	7J	500 A A
			265/65R17	112T	8.5	8J	500 A A
		285/65R17	116H	8.5	8.5J	500 A A	
70			245/70R17	110T	8.5	7J	500 A A
			265/70R17	115T	8.5	8J	500 A A
75		* LT245/75R17 E	121/118S	10.5	7J	—	
18		55	255/55R18	109V XL	8.5	8J	500 A A
		245/60R18	105H	8.5	7J	500 A A	
	60	* 255/60R18	112H XL	8.5	8J	500 A A	
			265/60R18	110H	8.5	8J	500 A A
			285/60R18	116H	8.5	8.5J	500 A A
	65		235/65R18	106H	8.5	7J	500 A A
		* 265/65R18	114H	8.5	8J	500 A A	
			275/65R18	116T	8.5	8J	500 A A
	70		255/70R18	113T	8.5	7.5J	500 A A
		* 265/70R18	116T	8.5	8J	500 A A	
19	55	245/55R19	103V	8.5	7.5J	500 A A	
	60	255/60R19	109H	8.5	7.5J	500 A A	
20	50	285/50R20	116V XL	8.5	9J	500 A A	
		235/55R20	102V	8.5	7.5J	500 A A	
	55	255/55R20	110V XL	8.5	8J	500 A A	
		275/55R20	117H XL	8.5	8.5J	500 A A	
	60	* 275/60R20	115H	8.5	8J	500 A A	

* Available in 2018/2019 XL Extra Load

SUITABLE FOR SUV

AND 4X4 OFF-ROAD VEHICLE

MAXCLAW A/T

Premium All-Terrain

- Tread and special shoulder protection design offer excellent All-Terrain traction.
- Strong and conformable tire casing improves the stability and handling capability for off-road driving.

Advanced and professional silicon compound pattern design.

INCH	SERIES	SIZE	L/S/I	TREAD DEPTH (mm)	STANDARD RIM	UTQG
14	75	LT215/75R14 D	104/101S	10.5	6J	—
		31*10.5R15LT C	109S	11.0	8.5J	—
15	75	*LT215/75R15 D	106/103S	10.5	6J	—
		*LT225/75R15 D	108/104S	11.0	6J	—
		*LT235/75R15 D	110/107S	11.0	6.5J	—
		235/75R15	105T	9.5	6.5J	500 A A
	70	205/70R15	96T	8.5	6J	500 A A
16	65	205/65R15	94H	8.5	6J	500 A A
	85	*LT235/85R16 E	120/116S	11.0	6.5J	—
		*LT225/75R16 E	115/112S	11.0	6J	—
		LT245/75R16 E	120/116S	11.0	7J	—
		*LT265/75R16 E	123/120S	12.0	7.5J	—
	75	*LT285/75R16 E	126/123S	12.0	8J	—
		*215/70R16	100T	9.5	6.5J	500 A A
		*225/70R16	103T	9.5	6.5J	500 A A
		235/70R16	106T	9.5	7J	500 A A
		245/70R16	111T XL	9.5	7J	500 A A
		255/70R16	111T	9.5	7.5J	500 A A
	70	265/70R16	112T	9.5	8J	500 A A
		205/60R16	92H	8.5	6J	500 A A
	75	*LT245/75R17 E	121/118S	12.0	7J	—
		*245/70R17	110T	9.5	7J	500 A A
17	70	265/70R17	115T	9.5	8J	500 A A
		*LT265/70R17 E	121/118S	12.0	8J	—
		LT275/70R17 E	121/118S	12.0	8J	—
		*225/65R17	102T	8.5	6.5J	500 A A
	65	*235/65R17	104T	9.5	7J	500 A A
		*245/65R17	111T XL	9.5	7J	500 A A
		265/65R17	112T	9.5	8J	500 A A
		275/65R17	115T	9.5	8J	500 A A
		*265/70R18	116T	9.5	8J	500 A A
		LT275/70R18 E	125/122S	12.0	8J	—
18	65	*275/65R18	116T	9.5	8J	500 A A
		LT285/65R18 E	125/122S	12.0	8.5J	—
	60	265/60R18	110H	9.5	8J	500 A A
	55	*255/55R18	109H XL	9.5	8J	500 A A
	50	255/50R18	111V XL	9.5	8J	500 A A
19	60	*275/60R20	115T	9.5	8J	500 A A
	55	275/55R20	117H XL	9.5	8.5J	500 A A
	50	265/50R20	111V XL	9.5	8.5J	500 A A
	45	285/50R20	116V XL	9.5	9J	500 A A
20	45	*275/45R20	110V XL	9.5	9J	500 A A

Available in 2018/2019 XL Extra Load

MT305

- Extra strong shoulder for extreme terrain usage.
- Heavy-duty sidewall prevent puncture or damage on off-Road riding



INCH	SIZE	LI/SI	PR	TYPE	TREAD DEPTH (mm)	STANDARD RIM
15	* 30*9.50R15LT C	104Q	6	T/L	12.3	7.5J
	31*10.50R15LT C	109Q	6	T/L	12.3	8.5J
	* 32*11.50R15LT C	113Q	6	T/L	12.3	9.0J
	* 33*12.50R15LT C	108Q	6	T/L	14.8	10.0J
16	35*12.50R15LT C	113Q	6	T/L	14.8	10.0J
	* LT265/70R16 D	117/114Q	8	T/L	12.3	8.0J
	LT245/75R16 E	120/116Q	10	T/L	12.3	7.0J
	LT265/75R16 E	123/120Q	10	T/L	12.3	7.5J
17	* LT285/75R16 E	126/123Q	10	T/L	12.3	8.0J
	* LT265/65R17 D	116/113Q	8	T/L	12.3	8.0J
	* LT265/70R17 D	118/115Q	8	T/L	12.3	8.0J
	* LT285/70R17 D	121/118Q	8	T/L	12.3	8.5J
18	LT295/70R17	121/118Q	10	T/L	14.8	8.5J
	35*12.50R17LT	121Q	10	T/L	16.5	10.0J
	33*12.50R18LT	118Q	10	T/L	16.5	10.0J
	35*12.50R18LT	123Q	8	T/L	16.5	10.0J
20	LT275/65R20	126/123Q	10	T/L	14.8	8.0J
	33*12.50R20LT	114Q	10	T/L	16.5	10.0J
	35*12.50R20LT	121Q	10	T/L	16.5	10.0J
	* 37*13.50R20LT	127Q	10	T/L	16.5	11.0J
22	33*12.50R22LT	109Q	10	T/L	14.8	10.0J
	35*12.50R22LT	117Q	10	T/L	16.5	10.0J
	* 37*13.50R22LT	123Q	10	T/L	16.5	11.0J
24	* 37*13.50R24LT	120Q	10	T/L	16.5	11.0J



MAXCLAW H/T

- 3 centric ribs design provides excellent performance on wet and dry roads
- Big and wide tread for tire shoulder
- 4 main grooves enable extra drainage
- Wide-tread design offers extra contact area

INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM	UTQG
16	85	LT215/85R16 D	110/107S	11.6	6J	—
		LT215/85R16 E	115/112S	11.6	6J	—
	75	LT225/75R16 E	115/112S	11.6	6J	—
		LT245/75R16 E	120/116S	11.6	7J	—
		LT265/75R16 E	123/120S	12.4	7 1/2J	—
17	80	LT235/80R17 E	120/117S	11.6	6 1/2J	—
		LT245/70R17 E	119/116S	11.5	7J	—
	70	LT265/70R17 E	121/118S	12.4	8J	—
15	75	235/75R15	105T	9.2	6.5J	500 A B
		235/75R15	109T XL	9.2	6.5J	500 A B
16	70	215/70R16	100T	9.2	6.5J	500 A B
		225/70R16	103T	9.2	6.5J	500 A B
		235/70R16	106T	9.2	7J	500 A B
		245/70R16	107T	9.2	7J	500 A B
		245/70R16	111T XL	9.2	7J	500 A B
		255/70R16	111T	10.0	7.5J	500 A B
		265/70R16	112T	10.0	8J	500 A B
	65	215/65R16	98T	9.2	6.5J	500 A B
		235/65R16	103T	9.2	7J	500 A B
		245/70R17	110T	9.2	7J	500 A B
17	70	265/70R17	115T	10.0	8J	500 A B
		225/65R17	102T	8.5	6.5J	500 A B
	65	235/65R17	104T	9.2	7J	500 A B
		245/65R17	107T	9.2	7J	500 A B
		245/65R17	111T XL	9.2	7J	500 A B
		255/65R17	110T	10.0	7.5J	500 A B
		265/65R17	112T	10.4	8J	500 A B
		255/70R18	113T	10.0	7.5J	500 A B
18	70	265/70R18	116T	10.0	8J	500 A B
		235/65R18	106T	10.0	7J	500 A B
	65	265/65R18	114T	10.0	8J	500 A B
		275/65R18	116T	10.0	8J	500 A B
20	60	275/60R20	115T	10.0	8J	500 A B

XL Extra Load



KF997

- Extra strong shoulder improves the performance.
- V-shaped tread design and two big grooves improve the handling on wet roads.
- Sport pattern design for high-speed driving performance.

INCH	SERIES	SIZE	LU/SI	TREAD DEPTH (mm)	STANDARD RM	UTQG
18	60	245/60R18	105H	9.5	7J	420 A A
		265/60R18	110H	9.5	8J	420 A A
		285/60R18	116H	9.5	8.5J	420 A A
20	55	255/55R18	109V XL	9.0	8J	420 A A
	55	275/55R20	117H XL	8.8	8.5J	420 A A
	50	265/50R20	111V XL	9.0	8.5J	420 A A
285/50R20		112V	8.8	9J	420 A A	
22	45	275/45R20	110W XL	8.0	9J	420 A A
	45	285/45R22	114V XL	9.0	9.5J	420 A A
		305/45R22	118V XL	8.0	10J	420 A A
		265/40R22	106V XL	9.0	9.5J	420 A A
	40	305/40R22	114V XL	9.0	11J	420 A A
		265/35R22	102V XL	8.0	9.5J	420 A A
	35	285/35ZR22	106W XL	8.8	10J	420 A A
		225/30ZR22	87W XL	8.0	8J	420 A A
		30	235/30ZR22	90W XL	8.0	8.5J
	255/30ZR22		95W XL	8.0	9J	420 A A
24	35	295/35R24	110V XL	8.8	10.5J	420 A A
		305/35R24	112V XL	8.0	11J	420 A A
		245/30ZR24	94W XL	8.0	8.5J	420 A A
	30	255/30ZR24	97W XL	8.0	9J	420 A A
		275/30ZR24	101W XL	8.8	9.5J	420 A A
	25	275/25ZR24	95W XL	8.8	10J	420 A A
26	30	255/30ZR26	100W XL	9.0	9J	420 A A
		295/30ZR26	107W XL	8.8	10.5J	420 A A
		305/30ZR26	109W XL	8.8	11J	420 A A
	25	275/25ZR26	100W XL	9.0	10J	420 A A

XL Extra Load

INCH	SERIES	SIZE	LI/SI	TREAD DEPTH (mm)	STANDARD RIM
13	70	165/70R13	83Q XL	9.3	5.0J
		175/70R13	82Q	9.3	5.0J
		155/65R13	73Q	9.3	4.5J
	65	165/65R13	77Q	9.3	5.0J
		165/70R14	85Q XL	9.3	5.0J
14	70	175/70R14	88Q XL	9.3	5.0J
		185/70R14	88Q	9.3	5.5J
		155/65R14	75Q	9.3	4.5J
	65	175/65R14	82Q	9.3	5.0J
		185/65R14	90Q XL	9.3	5.5J
		165/60R14	75Q	9.3	5.0J
	60	185/60R14	82Q	9.3	5.5J
		205/70R15	96Q	9.3	6.0J
		175/65R15	84Q	9.3	5.0J
15	65	185/65R15	88Q	9.3	5.0J
		195/65R15	91Q	9.3	6.0J
		205/65R15	94Q	9.3	6.0J
	60	185/60R15	84Q	9.3	5.5J
		195/60R15	88Q	9.3	6J
		185/55R15	86Q XL	9.3	6.0J
	55	195/55R15	85Q	9.3	6.0J
		215/70R16	100Q	9.3	6.5J
		205/65R16	95Q	9.3	6J
16	65	215/65R16	98Q	9.3	6.5J
		195/60R16	89Q	9.3	6J
		205/60R16	92Q	9.3	6J
	60	215/60R16	99Q XL	9.3	6.5J
		225/60R16	98Q	9.3	6.5J
		205/55R16	91S	9.3	6.5J
	55	215/55R16	97Q XL	9.3	7.0J
		225/55R16	99Q XL	9.3	7.0J
		225/65R17	102S	9.3	6.5J
17	65	235/65R17	104S	9.3	7.0J
		245/65R17	111S XL	9.3	7.0J
		265/65R17	112S	9.3	8.0J
	60	215/60R17	96S	9.3	6.5J
		225/60R17	103S XL	9.3	6.5J
		215/55R17	94S	9.3	7.0J
	55	225/55R17	97S	9.3	7.0J
		235/55R17	103S XL	9.3	7.5J
		215/50R17	95S XL	9.3	7.0J
18	50	225/50R17	98S XL	9.3	7.0J
		235/45R17	97S XL	9.3	8.0J
		225/60R18	104S XL	9.3	6.5J
	60	235/60R18	107S XL	9.3	7.0J
		265/60R18	114S XL	9.3	8.0J
		215/55R18	99S XL	9.3	7.0J
	55	235/55R18	104S XL	9.3	7.5J
		235/50R18	101S XL	9.3	7.5J
		225/45R18	95S XL	9.3	7.5J
	45	245/45R18	100S XL	9.3	8.0J
		255/40R18	99S XL	9.3	9.0J



WR12

ICE- Breaking

- Special formulation compound for driving on ICE & snowy roads.
- Special pattern design of Z sipes with large block tread provides excellent drainage.